ELSEVIER

Volume 256, Numbers 1–2, 5 July 1997

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

Superconductivity of ZrRuGe with TiFeSi-type structure L1
I. Shirotani, M. Hori, K. Tachi (Muroran-shi, Japan), S. Todo, T. Yagi (Tokyo, Japan)

Hydrogen trapping by oxygen and dislocations in zirconium alloys L4
B. Cox (Toronto, Canada)

Phase diagram of the ternary Nd–Ni–Si system L8
O. Bodak, P. Salamakha, O. Sologub (L'viv, Ukraine)

Note on the so called "$GdFe_{8.4}Ge_{3.6}$" compound L10
M. Artigas, J. Bartolomé (Zaragoza, Spain), C. Manning (Grenoble, France)

Note on the standard enthalpies of formation of $LuNi_5$, Lu_3Pd_4 and LuPd, determined by high temperature direct synthesis calorimetry L15
Q. Guo, O.J. Kleppa (Chicago, IL, USA and Guiyang, P.R. China)

Spin glass behaviour observed in the $RGa_{1.7}Ni_{0.3}$ (R = Gd–Ho) and $RGa_{1.5}Cu_{0.5}$ (R = Gd, Tb) phases L18
S. Baran (Reymonta, Poland), J. Leciejewicz (Warszawa, Poland), M. Ślaski (Birmingham, England), A. Szytuła, B. Penc (Reymonta, Poland), Y. Ding, N. Stüsser (Berlin, Germany)

Physics

Effect of pressure on the electron state of Eu^{3+} in GdOBr 1
C. Yuanbin, L. Shenxin, L. Hongnian, Z. Xuyi, W. Lizhong (Changchun, P.R. China)

An artificial neural network approach to correlation of enthalpies of fusion for rare earth halides 9
Y. Sun, M. He, Z.-Y. Qiao (Beijing, P.R. China)

Phase diagram and electronic properties of Ag_xTiTe_2 13
A.N. Titov, S.G. Titova (Ekaterinburg, Russia)

Large spontaneous volume magnetostriction and pressure effects on the magnetic properties of amorphous Ce–Fe alloys 18
K. Fukamichi, K. Aoki, T. Masumoto (Sendai, Japan), T. Goto, C. Murayama, N. Mori (Tokyo, Japan)

Formation and properties of oxide phases in the system Er_2O_3–Fe_2O_3 27
M. Ristić, S. Popović, S. Musić (Zagreb, Croatia), I. Czakó-Nagy, A. Vértes (Budapest, Hungary), M. Maiorov, A. Petrov (Salaspils, Latvia)

Solid state equilibrium in the doubly substituted (Tl, Pb)(Sr, Ba)O_3 system 34
J.L. Jorda (Annecy-Le-Vieux, France), K. Lebbou (Villeurbanne, France), P. Galez (Annecy-Le-Vieux, France), R. Abraham (Villeurbanne, France)

Hydrogen desorption and electrode properties of $Zr_{0.8}Ti_{0.2}(V_{0.3}Ni_{0.6}M_{0.1})_2$ alloys 40
J. Chen, S.X. Dou, H.K. Liu (Wollongong, Australia)

Crystal structure and the magnetic properties of the compound $CeCoAl_4$ 45
O. Moze (Parma, Italy), L.D. Tung, J.J.M. Franse, K.H.J. Buschow (Amsterdam, The Netherlands)

Low-temperature magnetic properties of $(RE)_3Pd_{20}Si_6$ (RE = La to Yb) 48
J. Kitagawa, N. Takeda, M. Ishikawa (Tokyo, Japan)

Elsevier Science S.A.

Preparation and low temperature properties of FeSi-type RuSi 57
B. Buschinger, C. Geibel (Darmstadt, Germany), J. Diehl (Augsburg, Germany), M. Weiden, W. Guth (Darmstadt, Germany), A. Wildbrett, S. Horn (Augsburg, Germany), F. Steglich (Darmstadt, Germany)

Crystal and magnetic structure of $TbCo_3Ga_2$ 61
Ch.D. Routsi, J.K. Yakinthos (Xanthi, Greece), E. Ressouche (Grenoble, France)

Neutron diffraction study of the HoMnSi, LuMnSi and $Sc_{0.9}Lu_{0.1}MnSi$ compounds 65
G. Venturini, I. Ijjaali (Vandoeuvre les Nancy, France), E. Ressouche (Grenoble, France), B. Malaman (Vandoeuvre les Nancy, France)

Magnetoresistance studies of $La_{0.6}M_{0.07}Ca_{0.33}MnO_3$ (M = Er, Yb, Bi) perovskites 76
D. Bahadur (Bombay, India), M. Foldeaki (Trois-Riviéres, Canada), S.K. Mandal (Bombay, India), M.H. Yewondwossen, Z. Koziol, R.A. Dunlap (Halifax, Canada)

Metamagnetic behaviour of $La_{1-x}Gd_xFe_{12}B_6$ compounds 82
Q.A. Li, C.H. de Groot, F.R. de Boer, K.H.J. Buschow (Amsterdam, The Netherlands)

Variable rate spin freezing and long range antiferromagnetic order in Bi_2FeRhO_6 86
G. Filoti, V. Kuncser (Bucharest-Magurele, Romania), M. Rosenberg (Bochum, Germany), C. Schinzer, S. Kemmler-Sack (Tübingen, Germany)

Ferrimagnetism and disorder in the RCr_6Ge_6 compounds (R = Dy, Ho, Er, Y): A neutron study 92
P. Schobinger-Papamantellos (Zürich, Switzerland), J. Rodríguez-Carvajal (Gif-sur-Yvette, France), K.H.J. Buschow (Amsterdam, The Netherlands)

Chemistry

Preparation and characterization of cerium oxide ultrafine particles dispersed in polymer thin films 97
T. Masui, K. Machida, T. Sakata, H. Mori, G. Adachi (Osaka, Japan)

Electronic and magnetic properties of Fe_3Mo_3N 102
R.N. Panda, N.S. Gajbhiye (Kanpur, India)

Effect of the mechanical activation of the reagents on the solid phase synthesis of iron (III) molybdate 108
D.D. Radev, V. Blaskov, D. Klissurski, I. Mitov, A. Toneva (Sofia, Bulgaria)

Synthesis and structure of new iodides Cs_4EuI_6 and Rb_4EuI_6 112
C. Ling, W. Meitian, W. Shihua (Beijing, China)

Ternary systems of nickel and manganese with transition metals 115
E.M. Slyusarenko, A.V. Peristyi, E.Yu. Kerimov, I.L. Guzei, M.V. Sofin (Moscow, Russia)

Condensed cluster phases in reduced oxoniobates: synthesis and studies of $Sr_{4-x}Nb_{17}O_{26}$ ($x = 0.0(1)$, $0.3(1)$ and $Eu_{4-x}Nb_{17}O_{26}$ ($x = 0.3(1)$) 129
V.G. Zubkov, V.A. Pereliaev, A.P. Tyutyunnik (Ekaterinburg, Russia), J. Köhler, A. Simon (Stuttgart, Germany), G. Svensson (Stockholm, Sweden)

Synthesis and X-ray diffraction studies of dysprosium–calcium ferrites $Dy_{1-x}Ca_xFeO_{3-y}$ ($0 \le x \le \frac{2}{3}$) 140
J. Li, D. Song, Z. Su, T.M. Wang (Lanzhou, China)

Deuteron dynamics and its isotope effect in β-$Ti_{1-y}V_yD_x$ as studied by ^2H NMR 145
T. Ueda, S. Hayashi (Ibaraki, Japan)

Low temperature synthesis of Y_3NbO_7 by polymerizable complex method: Utilization of a methanol–citric acid solution of $NbCl_5$ as a novel niobium precursor 151
T. Okubo, M. Kakihana (Yokohama, Japan)

Synthesis and crystal structure of $BaMgH_4$: A centrosymmetric variant of $SrMgH_4$ 155
F. Gingl, K. Yvon (Geneva, Switzerland), T. Vogt (Upton, NY, USA)

^1H NMR and magnetization measurements of a nanostructured composite material of the Mg_2Ni–H system synthesized by reactive mechanical grinding 159
S. Hayashi (Ibaraki, Japan), B. Nowak (Wrocław, Poland), S.-i. Orimo, H. Fujii (Hiroshima, Japan)

The crystal structure of orthorhombic $Ce_3Rh_3Si_2$, an intergrowth of FeB- and YPd_2Si-type slabs 166
Yu.M. Prots' (L'viv, Ukraine), J. Stępień-Damm (Wroclaw, Poland), P.S. Salamakha, O.I. Bodak (L'viv, Ukraine)

The crystal structure and magnetic properties of YbMSb, M = Cu, Ag, Au 170
H. Flandorfer, K. Hiebl (Wien, Austria), C. Godart (Meudon, France), P. Rogl (Wien, Austria), A. Saccone, R. Ferro (Genova, Italy)

Metallurgy

Analysis of the melting temperatures of RT_2 compounds ($MgCu_2$ structure) (R = Rare Earth, T = Mn, Fe, Co, Ni, Ru, Rh, Pd, Os, Ir, Pt) and RT_2X_2 compounds (R = La, Ce, Sm, Er; T = Mn, Fe, Co, Ni, Cu, Ru, Rh, Pd, Pt; X = Si, Ge) 175
A.V. Morozkin, Yu.D. Seropegin, A.V. Gribanov, J.M. Barakatova (Moscow, Russia)

Calorimetric investigation on the Cd–Te binary alloys 192
A. Amzil, J.-C. Mathieu, R. Castanet (Marseille, France)

Time-of-flight neutron diffraction study on the Li_2O type phases of Li_6NBr_3 196
R. Marx (Berlin, Germany)

Structural effect of Zr substitution in the Sm_2Co_{17} phase 207
A. Lefevre, M.Th. Cohen-Adad, B.F. Mentzen (Villeurbanne, France)

A study of the Al–Ni–Ru ternary system below 50 at.% aluminium 213
I.J. Horner (WITS and Randburg, Republic of South Africa), L.A. Cornish, M.J. Witcomb (WITS, Republic of South Africa)

Constitution of the Al–Ni–Ru ternary system above 50 at. % aluminium 221
I.J. Horner, (WITS and Randburg, Republic of South Africa) L.A. Cornish, M.J. Witcomb (WITS, Republic of South Africa)

The 500 °C isothermal section of the phase diagram of the Fe–Gd–Nd ternary system 228
Z. Lingmin, L. Jianlie, Z. Yinghong (Guangxi, P.R. China)

In-situ X-ray diffraction examination of nanocrystalline $Ag_{37}Cu_{63}$ powders synthesized by mechanical alloying 230
Y. Qin, L. Chen, H. Shen (Hefei, P.R. China)

Material Science

On new mixed conductors of $Bi_4V_{2-x}Mn_xO_{11-\delta}$ formulation 234
M. Alga, M. Wahbi, A. Ammar, B. Tanouti (Marrakech, Morocco), J.C. Grenier, J.M. Reau (Pessac, France)

Hydrogen uptake during oxidation of zirconium alloys 244
B. Cox (Toronto, Canada)

Structure and magnetostriction of $R(Fe_{1-x}Ga_x)_{1.85}$ and $R(Fe_{1-x}Cr_x)_{1.85}$ alloys ($R = Dy_{0.65}Tb_{0.25}Pr_{0.1}$) 247
S.L. Tang, C.H. Wu, X.M. Jin, B.W. Wang, Y.C. Chuang (Shenyang, P.R. China), J.Y. Li, X.G. Zhao (Beijing, P.R. China)

A study of the effects of the addition of various amounts of Cu to sintered Nd–Fe–B magnets 252
O.M. Ragg, I.R. Harris (Birmingham, UK)

Effect of milling conditions on the synthesis of chromium carbides by mechanical alloying 258
H. Huang, P.G. McCormick (Nedlands, Australia)

An attempt to estimate the extent of the single phase region of the $ZrMn_2$ phase by means of the X-ray diffraction-profile halfwidths 263
T. Kodama (Hyogo, Japan)

Optical and Mössbauer study of the real time holographic organometallic material Fe:PVA 269
V. Kuncser, A. Avramescu, G. Filoti (Bucharest, Romania), P. Rotaru (Craiova, Romania), R. Podgorsek, M. Biebricher, H. Franke (Duisburg, Germany)

Book review 277

Erratum 279

Author Index of Volume 256 281

Subject Index of Volume 256 283